

Superior
FIREPLACES®
Our name is our promise.



“Impressive” is the only way to describe these massive fireboxes. Designed for large, custom applications, the VRT6000 Series Vent-Free Gas Firebox features a 30” tall opening and beautiful Mosaic Masonry™ brick that represents a true masonry fireplace appearance.



FEATURED VRT6042 with Warm Red Herringbone Mosaic Masonry™ brick

EXCLUSIVE FEATURES

- 🔥 Available in 36", 42" and 50" models
- 🔥 99.9% heating efficiency when paired with a vent-free gas log set*
- 🔥 Fully insulated firebox for increased performance in colder climates
- 🔥 Mosaic Masonry™ brick available in a variety of patterns and colors
- 🔥 Includes mesh fire screens
- 🔥 Dual (left hand/right hand) outside air kits available for maximum performance
- 🔥 Durable textured powder coat finish
- 🔥 20 year limited warranty

*Compatible with any ANSI Z21.11.2 listed vent-free log set. Choose a Superior vent-free log set for best results.



Engineered Mosaic Masonry™ bricks are hand grouted in the factory for ease of installation, and provide the authentic look of masonry craftsmanship.

INTERIOR

(Required)

Choose from Warm Red or Ivory Mosaic Masonry™ Full or Split brick in Stacked or Herringbone patterns.



Warm Red Herringbone



Warm Red Stacked



Warm Red Split Herringbone



Warm Red Split Stacked



Ivory Herringbone



Ivory Stacked



Ivory Split Herringbone



Ivory Split Stacked


VENT-FREE GAS LOGS

(Optional)




Visit Superiorfireplaces.us.com to see the complete selection of vent-free gas logs that are available to complement this firebox.

FLAT WALL FRAMING SPECIFICATIONS




	VRT6036	VRT6042	VRT6050
A	54-5/8"	54-5/8"	54-5/8"
B	45-3/8"	51-3/8"	59-3/8"
C	28-1/4"	30-1/8"	30-1/8"

CORNER FRAMING SPECIFICATIONS



	VRT6036	VRT6042	VRT6050
D	61"	65"	71"
E	45-3/8"	51-3/8"	59-3/8"
F	86-1/2"	92"	100"

APPLIANCE SPECIFICATIONS



	VRT6036	VRT6042	VRT6050
G	29"	30-5/16"	38-5/16"
H	45-1/8"	51-1/8"	59"
I	30"	30"	30"
J	36"	42"	50"
K	49"	49"	49"
L	28"	30"	30"
M	54-1/2"	54-1/2"	54-1/2"
N	3-5/16"	3-5/16"	3-5/16"
O	9-7/16"	9-7/16"	9-7/16"
P	7-3/8"	8-3/4"	8-3/4"
Q	11-1/8"	13"	13"

On the Cover: VRT6042 shown with Ivory Herringbone brick

IMPORTANT NOTES:

As with any fireplace, this appliance is extremely hot during operation. Read and understand all operating instructions before using this appliance. For further information, consult your dealer.

Local conditions, such as elevation and choice of fuel will affect overall appearance of the fire and heating performance. Performance can also vary with home design and insulation, ceiling height, accessories chosen and appliance location.

Diagrams, illustrations and photographs are not to scale — consult installation instructions. Product designs, materials, dimensions, specifications, colors and prices are subject to change or discontinuance without notice.



© 2019 Innovative Hearth Products

785445M 07/19

Visit us online
SuperiorFireplaces.us.com



Report #F09-130