



BENTLEY

ZERO CLEARANCE DIRECT VENT GAS FIREPLACE



Bring the BIG VIEW INDOORS

Introducing the Bentley

With an expansive glass viewing area and clever designer options for customizing the look to suit your personal style, the new **Bentley** by Marquis is generating some serious attention.

Available in two sizes, you can choose from the Decorative-rated fireplace for ambiance and taking the chill out of the room, or the Heater-rated version for additional warmth.

With so much style and attention to detail, it's no wonder people are focused on the view indoors!

Visit www.marquisfireplaces.net to see the latest evolution in fireplaces.

WALL SURROUND

PICTURE FRAME

BLACK









DECORATIVE STONE



MULTI-COLOR CANNONBALLS



FOUR PIECE DRIFTWOOD SET



FIVE OR TEN PIECE SPLIT OAK LOG SETS









DECORATIVE EMBER GLASS

BRICK LINERS









TRADITIONAL



HERRINGBONE RED HERRINGBONE





FLUTED

* All gas fireplaces manufactured as of January 1, 2015 will include a Safety Screen Barrier.







Unit Illustrated is a ZCV39NH Zero Clearance Direct Vent Gas Fireplace Natural Gas, ZCV39GT Glass Tray, MQG5ZG Glass Media – ZIRCON Glacier Ice – 5 lbs. x (3 Bags), ULK2 Universal Light Kit - Two Lamps, ZCV39PL Porcelain Reflective Panel Liner, and ZCV39S2PFBL Surround - Picture Frame 15/8" Wide.

STANDARD FEATURES

- > Dedicated Clean View appliance
- > Millivolt or IPI valve system allows operation during a power failure with Hi/Low heat and flame adjustment
- > Pan burner with Realistic Flame Pattern
- > Proflame II Models include Remote Control Features flame, fan, thermostat, smart thermostat, CPI/IPI cold climate control (ZCV39NHE2, ZCV39LPHE2, ZCV42NHE2, ZCV42LPHE2 Models only).

*Optional Accent Lighting available (Dealer Installed Item).

OPTIONAL FEATURES

Fan Kit – Heat activated with variable speed control Designer Doors - Three styles: Arch, Straight Black Doors Surrounds - Hearth Mount, Picture Frame or Slim Line Picture Frame

ZCV39 Surrounds

Hearth Mount 4" Wide (Covers 40 5/8" W x 35" H) Picture Frame 4" Wide (Covers 40 5/8" W x 37" H) Picture Frame 1 5/8" Wide (Covers 36 1/8" W x 32 1/2" H)

ZCV42 Surrounds

Hearth Mount 4" Wide (Covers 44 5/8" W x 38 1/8" H) Picture Frame 4" Wide (Covers 44 5/8" W x 40 1/8" H) Picture Frame 1 5/8" Wide (Covers 40 1/8" W x 35 5/8" H)

Porcelain Reflective Liner or Brick Liner

Glass Tray – with the following media choices: Contemporary Rock, Driftwood Set, Decorative Stones and Decorative Ember Glass (Glacier Ice, Cobalt Blue, Black, Bronze and White)

Log Sets - Three choices of Log Sets - Ten Piece Split Oak Log Set, Five Piece Split Oak Log Set or Four Piece Driftwood Set

Accent Lighting – for use with the Glass Tray

Thermostat –Wall Mount Millivolt Thermostat or Programmable Thermostat

Remote Control (Millivolt or IPI PF1) -

Thermostat on/off, Thermostat on/off modulating, Thermostat on/off modulating and fan control



ZCV42 42³/8"


27¹v4"

33⁵/8" 371/8" 37⁵/8" 40⁷/8"

21/2"

321/2"

Front Width Height Depth Model Actual Framing Actual Framing Actual Framing ZCV39 373/4" 18¹/2"* 37⁷/8" 393/8" 391/2" 18³/8" ZCV42 40⁷/8" 42³/8" 18³/8" 18¹/2"* 421/2"



Model	ZCV39N	ZCV39LP	ZCV39NH/NHE	ZCV39LPH/LPHE	ZCV42N	ZCV42LP	ZCV42NH/NHE	ZCV42LPH/LPHE
	ZCV39NE	ZCV39LPE	ZCV39NHE2	ZCV39LPHE2	ZCV42NE	ZCV42LPE	ZCV42NHE2	ZCV42LPHE2
Fuel	Natural	Propane	Natural	Propane	Natural	Propane	Natural	Propane
Gas Control	Millivolt / IPI	Millivolt / IPI	Millivolt / IPI	Millivolt / IPI				
Input Max.	25,000 BTU	25,000 BTU	28,000 BTU	29,000 BTU	25,000 BTU	25,000 BTU	29,500 BTU	29,000 BTU
Input Min.	16,750 BTU	20,000 BTU	19,000 BTU	23,000 BTU	16,500 BTU	19,500 BTU	20,000 BTU	23,000 BTU
FE (P.4.1-02)	53.6%/54.9%	53.6%/54.9%	64.6%/67%	64.6%/67%	54.2%/55.7%	54.2%/55.7%	65.2%/67.2%	65.2%/67.2%
Glass Size	33" W x 28 5/8"H	37 1/8" W x 31 3/4"H						

*APPROVED WITH KINGSMAN FLEX VENT, MG DURAVENT-DIRECT VENT PRO DIRECT VENT SYSTEM, AMERIVENT DIRECT VENT PIPE SYSTEM, SELKIRK DIRECT-TEMP VENTING. ICC EXCEL DIRECT VENT, BDM PRO-FORM DIRECT VENT AND METAL FAB SURE-SEAL DV PIPE SYSTEM. THIS APPLIANCE IS APPROVED WITH KINGSMAN (PVH58) HORIZONTAL POWER VENT TERMINATION.



4/7" Flex or 4 x 6 5/8 Hard Pipe* or Power Vent

Venting













- 1. ZCV39N Zero Clearance Direct Vent Gas Fireplace Natural Gas, MQLOGF9 Log Set - Ten Pieces, ZCV39RLS Refractory Fiber Brick Liner (3 PCE) -Stacked Brick. MQ39DD2BL Designer Door - Series 2 - Black c/w Safety Screen.
- 4. ZCV39N Zero Clearance Direct Vent Gas Fireplace Natural Gas, ZCV39GT Glass Tray, MQSTONE Decorative Stones, ZCV39PL Porcelain Reflective Panel Liner.
- 2. ZCV39N Zero Clearance Direct Vent Gas Fireplace Natural Gas, MQLOGF9 Log Set - Ten Pieces, ZCV39RLT Refractory Fiber Brick Liner (3 PCE) -Traditional Brick, MQ39DD3BL Designer Door - Series 3 - Black c/w Safety Screen.
- 5. ZCV39N Zero Clearance Direct Vent Gas Fireplace Natural Gas, MQLOGF9 Log Set - Ten Pieces, ZCV39PL Porcelain Reflective Liner (3 PCE).
- 3. ZCV39N Zero Clearance Direct Vent Gas Fireplace Natural Gas, LOGF3 Log Set - Five Pieces, ZCV39RLH Refractory Fiber Brick Liner (3 PCE) -Herringbone Brick. MQ39DD1BL Designer Door - Series 1 - Black c/w Safety Screen.
- 6. ZCV39N Zero Clearance Direct Vent Gas Fireplace Natural Gas, ZCV39GT Glass Tray, MQROCK3 Contemporary Rock Collection - Multi-Colored, ZCV39PL Porcelain Reflective Panel Liner.
- 7. ZCV42N Zero Clearance Direct Vent Gas Fireplace Natural Gas, MQLOGF9 Log Set - Ten Pieces, MQZCV39RFL Black Fluted Panel Liner, ZCV42S1BL Surround - Hearth Mount 4" Wide.





Kingsman Fireplaces maintains a program of continuous testing, refinement and improvements of all its produc Some aspect of units shown here may be changed at any time without notice or obligatic Certification: ZCV39N, ZCV39N, ZCV39N, ZCV39N, ZCV39N, ZCV42N, ZCV

ANSI 22150-2014, CSA 2.22-2014, CGA 2.17-M91 (R2009) Vented Gas Fireplace. ZCV39NH, ZCV39NHE, ZCV39LPH, ZCV39LPHE, ZCV42NHE, ZCV42LPHE are Certified to: ANSI Z21.88-2014, CSA 2.33-2014, CGA 2.17-M91 (R2009) Vented Gas Fireplace Heater.

"Components may have to be ordered separately to create a complete unit."

Printed in Canada B081C - 05/17

